Е

 \mathbf{z}

口

 \mathbf{z}

Ω

 \mathbf{z}

M

Σ

Ø

REPORT DOCUMENTATION PAGE

Form Approved OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information.

1. AGENCY USE ONLY (Leave Blank)	2. REPORT DATE	T		ND DATES COVERED		
	9/16/96* Final Tech		Report, 10/1/93-9/30/			
4. TITLE AND SUBTITLE			5. FUNDING NUMBERS			
Dynamics Over Arctic Canyons				ONR N00014-94-1-0041		
6. AUTHOR(S)						
Andreas Muenchow**						
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES)			8. PERFORMING ORGANIZATION REPORT NUMBER			
Scripps Institution Marine Life Researc 9500 Gilman Drive La Jolla, CA 92093	h Group	,		,		
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) Office of Naval Research Code 322HL (T. B. Curtin) 800 N. Quincy Street Arlington, VA 22217-5500				10. SPONSORING/MONITORING AGENCY REPORT NUMBER		

11. SUPPLEMENTARY NOTES

**Author at time of original submission of this report was no longer with Scripps but was with Rutgers University, New Brunswick, NJ, 908-932-6555, Ext. 255, email: andreas@ahab.rutgers.edu

12b. DISTRIBUTION CODE 12a. DISTRIBUTION/AVAILABILITY STATEMENT Unrestricted

13. ABSTRACT (Maximum 200 words)

See attached

14. SUBJECT TERMS Arctic Ocean, Barrows Canyon, wide canyons, hydrographic data, velocity, density fields,

Unclassified

17. SECURITY CLASSIFICATION OF REPORT 18. SECURITY CLASSIFICATION OF THIS PAGE

19. SECURITY CLASSIFICATION OF ABSTRACT

20. LIMITATION OF ABSTRACT

Unclassified

<u>vôrtičity</u>

Unclassified

Unrestricted Standard Form 298 (Rev. 2-89) Prescribed by ANSI Std. 239-18 298-102

15. NUMBER OF PAGES

16. PRICE CODE

NSN 7540-01-280-5500

PROJECT TITLE:

Dynamics over Arctic canyons

PRINCIPAL INVESTOGATOR:

Andreas Muenchow

INSTITUTION:

Scripps Institution of Oceanography

San Diego, CA

(presently Rutgers University, New Brunswick, NJ)

TELEPHONE (voice):

908-932-6555 ext. 255

TELEPHONE (fax):

908-932-8578

E-MAIL:

andreas@ahab.rutgers.edu

GRANT NUMBER:

N00014-94-1-0041

GRANT PERIOD:

10/93-9/95

The main objective of this grant was to describe and to understand the dynamics of wide canyons in the Arctic Ocean. Barrow Canyon at the north-western tip of Alaska is such a wide canyon, because its width is large relative to its internal deformation radius. This canyon was the focus of a dynamical study from aboard the CCGS Henry Larsen in the summer of 1993. An acoustic Doppler current profiler was towed besides the icebreaker and provided data that described the velocity field within the canyon in all three spatial dimensions. Hydrographic data from a CTD (provided by Dr. Carmack of the Institute of Ocean Sciences, Canada) and currentmeter mooring data (generously provided by Dr. Weingartner of the University of Alaska) complements the data set that was analyzed as part of this grant.

The first step in the data analysis was the calibration and testing of the equippment in its first operational application in the Arctic Ocean. Muenchow et al. (1995) describe the towed ADCP, its performance both at mid- and at high latitudes, and a specifically designed calibration routine. The second step in the data analysis was to describe the basic velocity and density fields. The observational results are described in detail in Muenchow and Carmack (1996) and thus are not repeated here. Highlights include:

- 1. intensification of the Beaufort gyre near Barrow Canyon;
- 2. along- and across-canyon isopycnal slopes of the same order of magnitude that support thermal wind shears of about 50 (cm/s)/100m;
- 3. ventilation of upper halocline waters within the canyon during strong upwelling favorable winds;
- 4. a northward flowing jet carrying 1.1+-0.11 Sv (10⁶ m³/s) of water into the Arctic Ocean from the Chukchi shelf, 30% of which are warm Bering Sea waters;
- 5. an anti-cyclonic recirculation within the canyon with horizontal Rossby numbers reaching 0.5;
- 6. potential vorticity appears to be conserved along streamlines within the study area.

The third and last step of the completed data analysis extended the originally proposed and funded work. In order to more dynamically interpret the data, Drs. Signorini and Haidvogel of Rutgers University and I configured a three-dimensional numerical model for the Barrow Canyon area. The results of this process study are reported in Signorini et al. (1996) and are not repeated here. The model successfully though not completely reproduces the major feature of the density and velocity observations which can be explained by an oscillating upstream inflow (from Bering Strait) that generate both a mean down-canyon transport, an anti-cyclonic circulation within the canyon, and vorticity waves. As the numerical data covers a much larger spatial and temporal domain than do the observations, it places the limited observations into a more complete frame of reference. The observations, however, were essential in providing both guidance in the model design and model verification.

Publications supported by this grant:

Muenchow, A., C.S Coughran, M.C. Hendershott, and C.D. Winant. (1995). Performance and calibration of a subsurface towed acoustic Doppler current profiler. J. Atmos. Ocean. Tech., 12, 435-444.

Muenchow, A. and E.C. Carmack (1996). Synoptic flow and density observations near an Arctic shelf break. Submitted to J. Phys. Oceanogr.

Signorini, S.R, A. Muenchow, and D. Haidvogel (1996). Flow dynamics of a wide Arctic canyon. Submitted to J. Geophys. Res.